



Specifications Philips LED Panel
CoreLine RC132V 34W 3600lm - 840
Cool White | 120x30cm - UGR <19 -
Dali Dimmable - Emergency 3H

[View Product](#)

General Information

SKU	246304
EAN	8720169013834
Brand	Philips
Manufacturer Name	RC132V G5 36S/840 PSD W30L120OCELB3W4W2
Any Lamp all-in warranty	5 Years
Average Lifetime (h)	50000
Series	RC132V

Technical Information

Technology	LED Integrated
Replaces (Watt)	2x36
Wattage	34
Voltage (V)	220-240
Dimmable	Dimmable with Dali
Colour Code	840 Cool White
Colour temperature (Kelvin)	4000 Cool White
Colour Rendering (Ra)	80-89
Colour of Light	White
Light colour options	Single Color
Including bulb	Yes

Amount of bulbs required	1
Luminous Flux (Lumen)	3600
Luminous Efficacy (lm/W)	106
IP-rating	IP20
Impact Protection (IK)	IK03 - 0.35 joule
Fixture Connection	PI [Push-in connector 4-pole]
Finish of Reflector	Acrylate
Power factor	>0.90
Product Type Category	LED Panel

Fixture Information

EOC8	01383400
Mounting Method	Recessed
Unified Glare Rating	< 19 - for offices and schools
Optical Cover	PS (Polystyrene)
Operating Temperature	0 to +35
Emergency Lighting	3H Emergency Light
Colour of the Fixture	White
Housing	Steel
Colour of material	White

Dimensions

LED panel size	120x30cm
Length (mm)	1195
Width (mm)	295
Height (mm)	70

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process

